

#### **CHILTON FOLIAT PRIMARY SCHOOL**

With thankfulness, courage and love, we strive to improve heart and mind


Jesus said, "Everyone who drinks of this water will be thirsty again, but whoever drinks the water I give him will never thirst". John 4:13


# CHILTON FOLIAT C.E. V.A PRIMARY SCHOOL CALCULATION POLICY




### **Addition**

Stem sentences	Concrete (Can we make it?)	Pictorial (Can we draw it?)	Abstract (Can we write the equation?)
is the whole, is a part, is a part = plus and plus = There are in total.  Year R/1	3+4=7 7=3+4 4+3=7 7=4+3 5+3=8 8=5+3 3+5=8 8=3+5	3+2=5 2+3=5 5=3+2 5=2+3	2 + 3 = 5
First Then Now e.g. First there were 4 children on the bus, then 3 children got on. Now there are 7 children on the bus.  Year R/1	Role play getting 'on the bus' or use a toy bus.	First Then Now 4 + 3 = 7	First Then Now  2 2 2 4 + 3 = 7  4 + 3 = 7  4 + 2 = 6
We can look for pairs of addends which sum to 10 plus is equal to 10, then 10 plus is equal to  Year 2	3 + 5 + 7 = 5 + 10	7	3+5+7=3+7+5=10+5=15





								Addition Fact	ts		
Ad	dding I		Bonds	to 10	A	dding 10		Bridging/o		ating	
Ad	dding 2		Addir	ng 0		Ooubles		Near d	oubles		
+	0	I	2	3	4	5	6	7	8	9	10
0	0 + 0	0 + 1	0 + 2	0 + 3	0 + 4	0 + 5	0 + 6	0 + 7	0+8	0+9	0 + 10
Ι	I + 0	1+1	I + 2	I + 3	I + 4	l + 5	l + 6	I + 7	I + 8	l + 9	1 + 10
2	2 + 0	2 + 1	2 + 2	2 + 3	2 + 4	2 + 5	2 + 6	2 + 7	2 + 8	2 + 9	2 + 10
3	3 + 0	3 + 1	3 + 2	3 + 3	3 + 4	3 + 5	3 + 6	3 + 7	3 + 8	3 + 9	3 + 10
4	4+0	4+1	4 + 2	4 + 3	4+4	4 + 5	4 + 6	4+7	4+8	4+9	4+10
5	5 + 0	5 + I	5 + 2	5 + 3	5 + 4	5 + 5	5 + 6	5 + 7	5 + 8	5 + 9	5 + 10
6	6 + 0	6 + I	6 + 2	6 + 3	6 + 4	6 + 5	6+6	6 + 7	6+8	6+9	6+10
7	7 + 0	7 + I	7 + 2	7 + 3	7 + 4	7 + 5	7+6	7 + 7	7 + 8	7+9	7 + 10
8	8 + 0	8 + I	8 + 2	8 + 3	8 + 4	8 + 5	8 + 6	8 + 7	8 + 8	8 + 9	8 + 10
9	9+0	9 + 1	9+2	9 + 3	9 + 4	9 + 5	9+6	9 + 7	9 + 8	9+9	9+10
10	10 + 0	10 + 1	10 + 2	10 + 3	10 + 4	10 + 5	10 + 6	10 + 7	10 + 8	10 + 9	10 + 10



We line up the ones; \_\_ ones plus \_\_ ones.
We line up the tens: \_\_ tens plus \_\_ tens.
The \_\_ is in the ones column – it represents
\_\_ ones. The \_\_ is in the ones column – it represents \_\_ ones.

\_\_ ones plus \_\_ ones is equal to \_\_ ones.
The \_\_ is in the tens column – it represents
\_\_ tens. The \_\_ is in the tens column – it
represents \_\_ tens.
\_\_ tens plus \_\_ tens is equal to \_\_ tens.


In column addition we start at the right-hand side.

#### Year 3

If the column sum is equal to ten or more, we must regroup.


#### Year 3

Start with two-digit numbers to exemplify lining up the columns.




Step 1

Children could draw place value counters.




Start with two-digit numbers to exemplify lining up the columns.




462 + <u>205</u>

Start with two-digit numbers to exemplify the regrouping.



Children could draw place value counters.




Start with two-digit numbers to exemplify the regrouping.

567 +<u>233</u> 800


If the column sum is equal to ten or more, we must regroup.	See Year 3 examples	See Year 3 examples	6,584
ear 4			+ 2,7 3 9
			9, 3 2 3
			£ 2 4 . 5 5
			+ £ 1 7 . 8 2
			£ 4 2 . 3 7
			1 1
the column sum is equal to ten or more, we nust regroup.	See Year 3 examples	See Year 3 examples	As in Year 4 but using numbers with more than 4 digits
rears 5 and 6			


## Addition – Key mental strategies for Key Stage 2




## **Subtraction**

Stem sentences	Concrete (Can we make it?)	Pictorial (Can we draw it?)	Abstract (Can we write the equation?)
is the whole, is a part, is a part.	I have 8 counters. 5 counters are red.	There are 6 children. 2 have their coat	There are 8 flowers. 2 are red and the
= minus and minus =	How many are blue?	on. How many do not have their coat on?	rest are yellow. How many are yellow?
Year R/1			8 8 8 2 = 6
First Then Now	Role play 'getting out of a car'.	First Then Now 4 - 1 = 3	First Then Now
e.g. <b>First</b> there were 4 children in the car, <b>then</b> 1 child got out. <b>Now</b> there are 3 children in the car.	First Then Now	3 = 4 - 1	4 -1 3
Year R/1		0 1 2 3 4 5 6 7 8 9 10 10 -6 = 4	4-1=3
We partition the into and  First we subtract the from to get to 10.	12 – 4 =	First there were 12 children on the ride.	-2 -2
Then we subtract the nom to get to 10.  Then we subtract the remaining from 10.	12 - 4 = 12 - 2 = 10	Then 4 got off. Now there are 8 children on the ride.	8 9 10 11 12
We know 10 minus is equal to	10-2=8	First Then Now	12 – 4 =
Year 2	12 - 4		12 - 2 = 10 10 - 2 = 4
There are more than There are fewer than	$\Rightarrow\Rightarrow\Rightarrow\Rightarrow\Rightarrow$	3	5 red cars
The difference between and is	2 cars	The difference between 4 and 7 is 3.	3 blue cars
Year 2	The difference between 2 and 5 is 3. The difference between 5 and 2 is 3.	The difference between 7 and 4 is 3.	5-3=2







If there is an insufficient number to subtract from in a given column, we must exchange from the column to the left.	See Year 3 examples	See Year 3 examples	5, 5, 1,4 3,2 1,8 - 2, 7 8 9
Year 4			3, 7 4 9
			£ 2 9 <sup>8</sup> . 5 <sup>14</sup> 10
			- £ 1 8 . 9 4 £ 1 0 . 5 6
If there is an insufficient number to subtract from in a given column, we must exchange from the column to the left.  Years 5 and 6	See Year 3 examples	See Year 3 examples	As in Year 4 but using numbers with more than 4 digits


# **Subtraction – Key mental strategies for Key Stage 2**


Strategy	Concrete (Can we make it?)	Pictorial (Can we draw it?)	Abstract (Can we write the equation?)
Pridging through a multiple of 10, 100, etc  Years 3, 4, 5 and 6	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	90 100 120	120 - 30 = 90 20 10 100
	12 - 4	120 - 30 = 120 - 20 = 100 100 - 10 = 90	120 - 30 = 120 - 20 = 100 100 - 10 = 90
Compensating – rounding to the nearest multiple 10, 100, etc and adjusting  Years 3, 4, 5 and 6	152 – 29	1 120 125 130 135 140 145 150 155	152 - 30 = 122 122 + 1 = 123


## Multiplication

Stem sentences	Concrete (Can we make it?)	Pictorial (Can we draw it?)	Abstract (Can we write the equation?)
One group of two, two groups of two, three groups of 2,		0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20	10, 20, 30,
Ten, twenty, thirty,			
One five, two fives, three fives,	two four six eight ten		
Year R/1	2 4 6 8 10		
There are coins.  Each coin has a value ofp.  This isp.			Five 2p coins = 10p
Year 1	Representing each group by one object		
There are in each group.			2+2+2+2=8
There are groups. There are in a group and groups.		5 5 5	2 x 4 = 8
Year 2			5 + 5 + 5 = 15
Factor times factor is equal to the product.			5 x 3 = 15
The product is equal to factor times factor.			2 x 3 = 6
Year 2	2 2 2	5 5 5	6 = 2 x 3
	Unitising equal groups – representing each group by one object		
times can represent in a group and groups.		4 4 4 4 4	2 x 5 = 5 x 2
It can also represent groups of			2 / 3 - 3 / 2
Multiplication is commutative.		5 5 5 5	
Year 2		0 5 10 15 20	

15









If there are ten or more ones, we must regroup the ones into tens and ones. If there are ten or more tens, we must regroup the tens into hundreds and tens. If there are ten or more hundreds, we must regroup the hundreds into thousands and hundred.

Multiplication is distributive.


#### Year 4



 $321 \times 3 = 963$ 




 $521 \times 3 = 1000 + 500 + 60 + 3 = 1563$ 



 $3 \times 1$  ones = 3 ones

 $3 \times 2 \text{ tens} = 6 \text{ tens}$ 

 $3 \times 3$  hundreds = 9 hundreds





9 6 3


If there is a multiplicative increase in one factor and a multiplicative decrease in the other, the product remains the same.

If I multiply one factor by \_\_\_, I must divide the other factor by for the product to remain the same.


Year 5 and 6








If one factor is made one tenth of the size, the product will be one tenth of the size.  If one factor is made one hundredth of the size, the product will be one hundredth of the size.  I move the digits of the number I am multiplying places to the left until I get a whole number; then I multiply; then I move the digits of the product places to the right.	1	+4 +4 +4 0 4 8 12 16 20 +0.4 +0.4 +0.4 0.0 0.4 0.8 1.2 1.6 2.0	4     5     6       ×     4     4       1     8     2     4       2     2     4       4     .     5     6       ×     4     4       1     8     .     2     4       2     2     2
Year 5  Numbers that have more than two factors are composite numbers.  Year 5	Factors of 6 are 1, 2, 3 and 6.	1 12 Factor bugs 2 6 3 4	Factors of 6 are 1, 2, 3 and 6.
Numbers that have only two factors are prime numbers.  Year 5	1 2 3 4 5 6		17 is a prime number because its only factors are 1 and 17.



# Multiplication – Key mental strategies for Key Stage 2


Strategy	Concrete (Can we make it?)	Pictorial (Can we draw it?)	Abstract (Can we write the equation?)
Adjacent multiples of have a difference of  Year 3 onwards	4 4 4 4 4	0 4 8 12 16 20 24 28 32 36 40	4 x 6 = 4 x 5 + 4 4 x 9 = 4 x 10 - 4
Products in the 10 times table are double the products in the 5 times table. Products in the 5 times table are half of the products in the 10 times table.  (NCETM Year 2 unit 2.5) Year 3 onwards	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	4 fives 0 5 10 15 20 2 tens	5 x 4 = 10 x 2
Products in the 4 times table are double the products in the 2 times table. Products in the 2 times table are half of the products in the 4 times table.  Year 3 onwards	2 2 2 2 2 2 4 4 4 4	6 twos  +2 +2 +2 +2 +2 +2  0 2 4 6 8 10 12  +4 +4 +4  3 fours	2 x 6 = 4 x 3
Products in the 8 times table are double the products in the 4 times table.  Products in the 4 times table are half of the products in the 8 times table.  Year 3 onwards	4 4 4 4 4 4 4 4 4 4 4 8 8 8 8 8	6 fours  +4 +4 +4 +4 +4 +4  0 4 8 12 16 20 24  +8 +8 +8  3 eights	4 x 6 = 8 x 3




Products in the 10 times table can be used to find products in the 9 times table.			9 x 4 = 10 x 4 – 1 x 4
(NCETM Year 3 unit 2.8)  Year 4 onwards			
Products in the 10 times table can be used to find products in the 11 times table and 12 times table.  Year 4 onwards	10 x 4	3 30 6	12 x 3 = 10 x 3 + 2 x 3 = 30 + 6 = 36


## **Division**

Stem sentences	Concrete (Can we make it?)	Pictorial (Can we draw it?)	Abstract (Can we write the equation?)
One group of two, two groups of two, three groups of 2,  Ten, twenty, thirty,  One five, two fives, three fives,		00000	6 biscuits shared between 2 children gives 3 biscuits each.
Year R/1  The costsp. Each coin has a value ofp. So I need coins.	Eraser 10p	5 5 5 5	Five 2p coins = 10p
Year 1 is divided into groups of There are groups.  We can skip count using the divisor to find the quotient.		5 5 5 5 0 5 10 15 20	5+5+5=15 15÷5=3
Year 2divided between is equal to each.  We can skip count using the divisor to find the quotient.  Year 2	Team B	4 fives  4 fives  5 10 15 20	One 5 is 1 each. That's 5. Two 5s is 2 each. That's 10. 10 ÷ 5 = 2





If dividing the tens gives a remainder of one or more tens, we must exchange the  $8 \text{ tens} \div 4 = 2 \text{ tens}$ remaining tens for ones.  $4 \text{ ones} \div 4 = 1 \text{ one}$ Year 4 72 ÷ 3 = 24  $73 \div 3 = 24 \text{ r } 1$ 2 4r1



If there is a multiplicative change to the dividend factor and a corresponding change to the divisor, the quotient remains the same.

If I multiply the dividend by \_\_\_, I must multiply the divisor by \_\_ for the quotient to remain the same.

#### Year 5 and 6




































If the dividend is made one tenth of the size, the quotient will be one tenth of the size.


If the dividend is made one hundredth of the size, the quotient will be one hundredth of the size.

I move the digits of the dividend \_\_ places to the left until I get a whole number; then I divide; then I move the digits of the quotient places to the right.

#### Year 5 onwards








Any two-, three- or four-digit dividend can
be divided by a two-digit divisor using skip-
counting in multiples of the divisor, or by
short division or long division.

Year 6

### Partitioning



$$310 \div 31 = 10$$

434 ÷ 31 = 14

### Short division

### Long division

Where there is a remainder, the result can be expressed as a whole-number quotient with a whole-number remainder, a whole-number quotient with a proper-fraction remainder, or as a decimal-fraction quotient.

Year 6

#### $354 \div 15 = ?$

So, 
$$354 \div 15 = 23 \text{ r } 9$$

So, 
$$354 \div 15 = 23\frac{3}{5}$$

So, 
$$354 \div 15 = 23.6$$